



503.75706

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

(fw)

Applicant: Ohmuro et al.  
Serial No. 10/589,050  
Conf. No.: 5473  
Filed: August 10, 2006  
For: ULTRASONIC FLOWMETER CAPABLE OF  
APPLYING BOTH PULSE DOPPLER  
METHOD AND TRANSIT TIME METHOD,  
METHOD AND PROGRAM FOR  
AUTOMATICALLY SELECTING  
MEASUREMENT METHOD IN  
FLOWMETER, AND ELECTRONIC DEVICE  
FOR FLOWMETER  
Art Unit: 3737  
Examiner: Not assigned

*I hereby certify that this paper is being deposited with the United States Postal Service as FIRST-CLASS mail in an envelope addressed to: Mail Stop AMENDMENT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this date.*

April 1, 2008

Date

*James K. Folker*  
Registration No. 37,538  
Attorney for Applicant

Mail Stop AMENDMENT  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

TRANSMITTAL

Dear Sir:

Transmitted herewith is a communication regarding the above-identified application.

- (X) Preliminary Amendment.
- (X) Information Disclosure Statement (in duplicate) with a copy of a European Search Report.
- (X) Form PTO-1449 with copies of cited foreign references.
- (X) If a Petition under 37 C.F.R. §1.136(a) for an extension of time for response is required to make the attached response timely and does not separately accompany this transmittal, Applicant(s) hereby petition(s) under 37 C.F.R. §1.136(a) for an extension of time for response in the above-identified application for the period required to make the attached response timely.
- (X) The Commissioner is hereby authorized to charge any additional fees which may be required to this application under 37 C.F.R. §§1.16-1.17, or credit any overpayment, to Deposit Account No. 07-2069. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

300 South Wacker Drive— Suite 2500  
Chicago, Illinois 60606  
Tel.: (312) 360-0080  
Fax: (312) 360-9315  
Customer No.: 24978

GREER, BURNS &amp; CRAIN, LTD.

By: *James K. Folker*

James K. Folker, Reg. No. 37,538